Intersite Authentication or What Does it Mean to Trust Another Site?

John Volmer Argonne National Laboratory

Energy Sciences Coordinating Committee
Distributed Systems Management Working Group
ANL Document Release #93173
volmer@anl.gov
630.252.5449



Contents


- What's Changing?
- Implications of the change
 - **→** Concerns
 - **→** Opportunities
- Relevance of IntersiteTrust
- So, What does it mean...

- The ESnet Approach
 - → Plan
 - → Highlights
 - Next Steps
- Conclusion




What's Changing?


■ Presently authentication and resource access control were performed through the same organization; often



What's Changing?

■ Distributed authentication technologies permit users to authenticate locally and then ...








Argonne

Your site

Authentication is decoupled from access control

... access resources at your site




Argonne

Your site



Your access control mechanisms will trust credentials from other sites


■ Your access control mechanisms will trust authentication mechanisms at other sites



- Resources at your site will be protected with ACL's of the form
 - myfile rwl /.../dce.anl.gov/volmer




Further, multi-party or transitive trust relationships are possible, likely, and necessary



Implications

- My site will be a component of your computer protection plan
- In a transitive relationship, people you don't even know will be part of your protection plan
- How well I do my job affects how well you can do your job
 - ▶ Identified in the Final Report and Recommendation of the Esnet Authentication Pilot Project http://www.es.net/hypertext/authtf/ documents.html






Implications (contd.)

Concerns

People, policy, procedures, equipment outside your control are part of your computer protection policy





Your site

Implications (contd.)

Opportunities

→ There will now be a computer protection officer local to the user







Argonne

Your site

Relevance of Intersite Trust

- The issue of trust is a critical concept that must be addressed to enable wide area computing
- Trusting another site to authenticate a user is fundamental to
 - → Distributed Computing Environment (DCE)
 - → Public Key Infrastructure (PKI)



Relevance (contd.)

- Certifying that these credentials represent this user is essential for
 - → Digital signature
 - **→**Electronic commerce
 - → Privacy
 - → Wide area resource access control




Relevance of Intersite Trust

- Several DOE Laboratories need to support intersite collaborations with shared file systems (DCE and DFS)
 - → ASCI Project
- Several DOE Laboratories plan to use PKI to enable secure communications
 - → AMNII Project




A DCE Scenario

A simple DCE relationship



A PKI Scenario



So, What does it Mean to *Trust*Another Site?

- Specifically
 - → To be confident that the user was *correctly* authenticated
- Generally
 - → To be able to predict another sites computer protection behavior



So, What Does it Mean to be *Correctly Authenticated*?




To me, it means

- → The user is enrolled through my user enrollment process ...
- The user keeps his password secure ...
- → My staff stays current on patches ...
- → I safeguard the password repository ...
- ⇒etc.

But ...

- does it mean the same to you?
 - → Is your user enrollment process as good as mine?
 - → Do your user's safeguard their passwords as well as mine do?
 - → Is your patch level as current as mine?
 - Do you safeguard your password repository as well as I do?
 - do?

 etc.






What a Minute ...



- Do you safeguard your password repository as well as I do???
- There are a lot of policies and procedures involved in doing that!
- How do you compare policies and procedures?





How Do You Compare Policies and Procedures?

- This is the fundamental problem of intersite trust
 - → How do you decide if two policies say the same thing?
 - → How do you decide if two procedures have the same result?
 - → How do you decide if a policy is complete?
- How do you do this for a dozen or more independent sites?
- You can't

But...

- We had something going for us:
 - → We were all under the Department of Energy
 - →DOE had developed base computer security requirements for all Laboratories
 - → We had a minimum set of rules everyone already complied with!




So, Our Plan Was


- Modify the base requirements with
 - **→** Additions
 - **→** Specifics
 - → Deletions
- Make it so specific that any site was confident what the other site was doing
- Make it loose enough so that sites could comply



Plan (contd.)

- Target Sensitive Unclassified Data
 - → A level of data of value
- In effect, what you would expect out of another site so that you could trust it to perform user authentication?






Your site

Risk Assessment Perspective

- Put yourself in the shoes of a sensitive data owner
- What you would expect out of another site so that you could trust it to perform user authentication?

?





Argonne

Your site

Make the requirements specific enough that data owners would feel safe

The Common Policy

- DOE 1360.2 and its associated orders
- A priori, each of the sites
 - already complied with these orders
 - they were a neutral starting point, and
 - considered them fairly complete
- Summarized in Draft 1989 Risk Assessment Guidelines



Modifications

- Held several meetings in 1996
- Used consensus review
- Progress
 - → Version 0 policy issued in December 1995
 - → Had Version 1 by May 8, 1996
 - ▶ Issued to DCE Working Group May 8, 1996
 - → Developed Version 1.2 October 1996
 - ⇒52 requirements
- Posted at http://www.es.net/hidden/dsmwg.html

Rules Cover an Assortment of Operational Requirements

- Protection of the KDC
- Password length and expiration
- Patch application
- Training of staff
- Compromise notification
- User enrollment



Highlights

- Weapons Laboratories vs. Energy Laboratories
 - → Had higher requirements for user enrollment
 - » Required a badge
 - » Appear in person
 - Caused creation of a special DCE group
 - → Special requirements for users to join this group



Highlights (contd.)

Auditing

- Necessary to maintain trust
- → Audit is limited to the standard
- Audit is performed by other members of the community





Second Order Effects


- The standard identified several additional documents and tasks
 - → What is the liability of authenticators or auditors?
 - → Do we need a common user responsibilities statement?
 - → How do new sites join the club?
 - → What are staff training requirements?
 - →etc.
- Some of these are now being addressed

Liability of Authenticators and Auditors

- If a user presents credentials to my site that he is not authorized to have (violated my trust in your site) and uses them to take data or perform some action
 - → Is your site liable for damages?
 - → Are the auditors liable for damages?








Liability of Authenticators and Auditors

- Yes, and unknown
 - → If you use a computer at another site, you are already liable today

→ It is not clear if you are more liable.



User Responsibilities Statements

- We have an developed a comparison matrix
 - http://www.es.net/hidden/dsmwg.html

	Ames	ANL	Jefferson	etc.
Computer Use				
Monitoring				
Classified Work				
etc.				




Just starting our analysis

Comparison with PKI Work

- This project is focused on DCE
- However, this work is a subset of the PKI issues
- Several papers exist by IETF and NIST on Certification Authority (CA) operation
 - → http://csrc.nist.gov/pki
 - http://www.ietf.org/html.charters/pkix-charter.html
- We need to do a comparison





Co-conspirators

- Ames A. Mikler
- LANL- R. Wilkins
- LLNL B. Howard
- MITLNS D. Woodruff

- PNNL T. Harper, T. Thompson
- SNL B. Jennings, P. Moore



The End

- Questions
- Comments
- Suggestions

http://www.es.net/hypertext/committees/dsmw.html

